© Government of Kerala കേരള സർക്കൾ 2007



Reg. No. need, mmud KL/TV(N)/12/2006-2008

KERALA GAZETTE കേരള ഗസററ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. LII

Thiruvananthapuram, Tuesday

തിരുവനന്തപുരം, ചൊവ്വ

3rd July 2007

2007 ജൂലൈ 3

12th Ashadha 1929

1929 mpasses 12

No.

mmid

27

Department of Industrial Training SHORT TENDER NOTICE

No. A2/1490/06(1).

31st May 2007.

Scaled tender is invited for the supply of the following items for MMV Trade at I.T.I. Arccode, under Industrial Training Department,

Cost of tender form :

Original-Rs. 400+12.5% VAT.

Duplicate-Rs. 200+12.5% VAT.

Last date and time of sale of tender form-30-7-2007, 3 p. m.

Last date and time for the receipt of tenders-31-7-2007, 3 p. m.

Date and time of opening of tenders-31-7-2007, 4 p. m.

Tenders should be superscripted with tender number and date and addressed to the Principal, I.T.I. Arccode, Malappuram District. Late tenders will not be accepted. The tenders will be opened at the time and date given above in the presences of tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal obtain the requisite tender forms on which tender should be submitted. Application for tender forms should be accompanied by a cash remittance of the price of the form in favour of the Principal, Government I.T.I., Arcacode, which is not refundable under any circumstances. Those who wish to get the tender forms by post should send an extra amount of Rs. 10 by way of Money order. Tender forms are not transferable.

Drafts, Cheques, Postage Stamps, Postal Orders etc. will not be accepted towards the cost or form and the form will not be send by V.P.P. Duplicate tender form will be insued on remittance of the prescribed cost.

Kerala Stamp Paper worth Rs. 50 (Rupees Fifty only) is required for executing the agreement along with the tender. Tender will be supplied to the firms outside Kerala on remittance of Rs. 60 (Rupees Sixty only) separately by Money order Rs. 10 is intended to cover postage and incidental expenses.

Along with tender an amount which is not less than on: percent of the tender value should be enclosed as security deposit, security deposit should be in the form of Demand draft in favour of the Principal, I.T.1. Areacode, Malappuram District.

വുവസായ പരിശീലന വകുപ്പിത്തെ കീഴിൽ പ്രവർത്തിക്കുന്ന അരീക്കോട് ഐ. ടി. ഐ.-യിലെ എം. എം. വി. ട്രേഡിലെ ഉപയോഗത്തിനായി വിവിധയിനം സാധനങ്ങടം വിതരണം ചെയ്യുന്നതിന് അൽപ്പരു മുള്ളവരിൽ നിന്നും മുദ്രവച്ച ഒഴ്ഘാസുകയം ക്ഷണിച്ചുകൊട്ടമുന്നു.

ടർഘാസ" ഹോരത്തിന്റെ വില :

anound and 400+12.5% along.

പക്കു -തൂപ 200+12.5% വാനം".

ടർഘസ് ഫോട്രെ വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—30.7-2007, 3 മണി. ഒർഘസെ ഫോട്രെ സ്ഥികരിക്കുന്ന അവസാന തീയതിയും സമയവും—31-7-2007, 3 മണി. ഒർഘസെ തുറക്കുന്ന തീയതിയും സമയവും—31-7-2007, 4 മണി.

രീഘാസുകളുടെ കവരിന് പുറത്ത് നമ്പരും, തീയതിയും എഴുതേജതാണ്, ദർഘാസുക⊂െ പ്രിൻസില്ലായ, വുവസായ പരിശീലന കേന്ദ്രം അരീക്കോട് പി. ഒ. മലപ്പുറം (ജില്ല) എന്ന വിലാസഞ്ഞിൽ അയയ്ക്കേണ്ടതാണ്. അസോച്ചു ലഭിക്കുന്ന ദർഘാസുകയം ഒരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകയ നിശ്ചിത സമയത്ത് ഹാജരായിരിക്കുന്ന ദർഘാസുകരുടെ സാണിദ്ധൃത്തിൽ ബുന്ക്കുന്നതാണ്.

ദർഘാസ് പ്രമാണത്തിന് നിശ്ചിത തുക കടച്ച് അപേക്ഷിക്കേണ്ടത്ത്. ദർഘാസ് വില ഒരു ടി ഒഎ അരിക്കോട്, പിര്സിപ്പാളിന് മണിയോർഡറായി അയയ്ക്കാവുന്നതാണ്. ഡ്രാഫ്റാറ്, ചെക്ക് പോസ്ററൽ ഓർഡർ എന്നീ രീതികളിൽ ദർഘോസ് വില ഡ്വീകരിക്കുന്നതല്ല. ദർഘാസ് പ്രമാണം പി പി ചി, ആതി ലഭിക്കുന്നതല്ല. ഒർഘാസ് പ്രമാണം തപാൽവരി ലഭിക്കുവാർ 10 രൂപ കൂടുതൽ അരിക്കോട് ഒള, ടി ഒള പ്രിൻസിപ്പാളിന്റോ പേരിൽ മണിയോർഡറായി തടച്ച് അപേക്ഷിക്കേണ്ടതാണ്.

രർഘാസ" പ്രമാണത്തിൽ കൊടുത്തിട്ടുള്ള കരാർ മാതൃകയിൽ 50 റൂപയുടെ കേരള സർക്കാർ മുദ്ര പത്രത്തിൽ കടെ" ഒപ്പിട്ട" രർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ". കേരളത്തിന് പുറത്തുള്ള ഒർഘാസുകയക്ക യുദ്രപ്പത്രം ഭർഘാസുകളോടൊപ്പം ആവശുമുടങ്ങടിൽ 60 മൂപ അടച്ച് അപേക്ഷിക്കേണ്ടതാണ്.

ദർഘാസുകയാക്കാപ്പം കരാർ തുകയുടെ 1% അറിത് കുറയാത്ത് തുക നിരതദ്രവ്യകായി അരിക്കോട് ഐ. പി. ഐ. പ്രികസില്പാളിന്റെ പേരിൽ മാറാവുന്ന ഡ്രാഫ്'റോയി അടക്കം ചെയ"തിരിക്കേണ്ടതാണ്.

ദർഘാസ് പ്രകണങ്ങരെ അകയാറാം ചെയ്യാവുന്നതല്ല. ഡുൂച്ചിക്കോറ് ദർഘാസ് ച്രമാണം ആവശു മുളളവർ നിശ"ചിത തുക അടയ"കേണ്ടതാണ്, ദർഘാസ് തുകയായി അടച്ച തുക യാതൊരു കാർണവശാലും തിരിച്ചു നൽകുന്നതളു.

SPECIFICATIONS

Sl. No.	Items	Quantity
(1)	(2)	(3)
1	Hand File- 20cm-Second Cut	32
2	Steel Tool Box with Lock and Key (Folding Type) size 400 × 200 × 150mm	32
3	Allen Key-Set of 12 pes (2mm-14mm)	li set
4	Girclip Plier (Yet and Int) 150mm and 200mm	8 set each
3 4 5	Philips Screw Driver Type Set of 5 per 100mm-300mm	8 sets
6	Micro meter-Out side 50-75	1
7	Micro Meter-Inside 100-125	1
8	Micro Meter Inside 125 -150	1
9	Setting Hammer	1
10	Mallet Wooden	1
11	Trammel 30cm	1.
12	Snip-Straight 250mm	1
13	Spanner Offset De Set of 7 pcs (6-17mm)	I set
14	D. E. Ignition Spanner Set of 5 (0-9mm)	2 sct
15	Spaner Adjustable 20cm	1

mer-Ring Offset Set of 6 (Sae) mer Magnet Set of 8 Spanners able open ended Tappet Spanner of Copper 10mm Dia × 150mm ay Gan—Kerosene sure Grease Gun al, Valve Grinding—Sanction Type ractor, Stud "Ezy—Out" Type uum Guage 0—75cm or Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage of Extinguisher	1 set 1 set 2 set 2 1 1 1
nner Magnet Set of 8 Spanners able open ended Tappet Spanner Copper 10mm Dia × 150mm ay Gun—Kerosene sure Grease Gun I, Valve Grinding—Sanction Type ractor, Stud "Ezy—Out" Type uum Guage 0—75cm ac Carborandum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	1 set I set
the open ended Tappet Spanner The Copper 10mm Dia × 150mm Type Type	1 set
the Copper 10mm Dia × 150mm ay Gan—Kerosene sure Grease Gun I, Valve Grinding—Sanction Type ractor, Stud "Ezy—Out" Type uum Guage 0—75cm ac Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	
sure Greate Gun I, Valve Grinding—Sanction Type ractor, Stud "Exy—Out" Type uum Guage 0—75cm c Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	î 1 6 1
sure Greate Gun I, Valve Grinding—Sanction Type ractor, Stud "Ezy—Out" Type tuum Guage 0—75cm ne Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	1 6 1
l, Valve Grinding—Sanction Type ractor, Stud "Ezy—Out" Type uum Guage 0—75cm ac Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	6 1 1
ractor, Stud "Ezy—Out" Type uum Guage 0—75cm ic Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	1
uum Guage 0—75cm ne Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	1
nc Carborundum 15 × 5 × 3.75 cm rough and smooth inder—Dial Guage	
inder—Dial Guage	•
	2
	1 set
Buckets with Stand	2
nmer—Ballpeen—0.75 Kg.	*
Rule-15 cm Eng and Metric	2
nner D. E Set of 12 (10mm-32mm)	3
r Combination (15cm)	3 sets
er Gauge—20 Blades (Metric)	2
g Spanner—Set of 12 (10—32mm)	4
k Punch—15 cm	7 sets
sel Cross Cut-200mm × 6mm	2
nmer Ball Peen 0.5 Kg.	1
incers Square—15B cm Blade	2
ber-15cm	
ber Block Universal	2
king out Table 90 × 60 × 90cm (High)	4
llock 75 × 38 mm Pair with Clamps	1
ch-Hollow 6, 7, 8, 9, 10.5 and 12mm Set	1
Flat 20 cm Smooth	1 2
Flat Safe Edge-25 cm Smooth	2
Half Round 20cm Second Gut	
	1 2
	1 set
ro Meter Outside 25-50mm	1
	1
	1
	2 pair
The first Country of the Country of	1
	1
	2
	1.
el Aligament Gauge-Magnetic Type with Turn Blades	1
ourattor Repair Tool Kit	1
	1
Meter	1
matic Tools	i.
wler	i
timuity Meter	i
Changer	- 3
The same of the same and the plus cathodine Attachmen	ur I
	Half Round 20cm Second Gut Square—30 cm Rough of Morse Socket MT 0-01, 1-2 and 2-3 to Meter Outside 25—50mm o Meter Inside 50—75 to Meter Inside 75—100 ty Goggles there Planishing nometer by Hydraulic, Hi—Lift Type (Trolly type) the Spark Plug "Neon" Type el Alignment Gauge—Magnetic Type with Turn Blades ourattor Repair Tool Kit there Set Steering Wheel—Universal Meter timatic Tools where